




公差/General Tolerances(mm)		公差/General Tolerances(mm)	
0	>3	>18	>50
~2	~6	~30	~80
3	~10	~50	~120
~4	~18	~80	~250
~5	~30	~120	~500
~6	~50	~200	~1000
~7	~80	~300	~2000
~8	~120	~500	~5000
~9	~200	~1000	~10000
~10	~300	~2000	~20000
~11	~500	~5000	~50000
~12	~1000	~10000	~100000

Please refer to the 3D model for those unmarked dimensions



PCB LAYOUT



REV	ECN	DESCRIPTION	DRFT	DATE
00-9	/	Drawing upddter	WongW	2020.12.16
00-8	/	Adding VDE logo	MEK	2019.04.11
00-7	/	Adding UL logo	MEK	2018.07.14
00-6	/	Change poles	MEK	2018.03.28

MATERIAL: /

MAT NO: /

STATUS: /

Appd: Lj GL 2020.12.16

CHKD: /

DRFT: Mo EK 2017.12.27

SIZE: A4

TYPE: CUSTOMER DRAWING

ITEM	NAME OF PART	MATERIAL	NOTES
1	Mount	Copper alloy	Sn Plated
2	Pin header	Copper	Al Plated Area
3	Housing	LCP	UL94V-0

UL Standard: B C D

额定电压/电流/Rated Voltage (V)/Current (A) 300/16 300/16 600/5

UL Standard: F(III/2) / /

额定电压/电流/Rated Voltage (V)/Current (A) 600/16 / /

IEC Standard: / / /

过压类别/Overvoltage Category/污染等级 III/3 III/2 II/2

额定电压/电流/Rated Voltage (V)/Current (A) 500/20 630/20 1000/20

额定脉冲电压 (KV)/Rate Impulse Voltage (KV) 6.0 6.0 6.0

额定电压/电流/Rated Voltage (V)/Current (A) 7.5/N=0.3~12P

使用温度范围/Operating Temperature (°C) -40~+130

符合RoHS环保要求/Conform to RoHS Yes

SURFACE: /

NAME: 宁波高松电子有限公司 NINGBO DEGSON ELECTRICAL CO., LTD

DEGSON®

9EDGRC-7.5-XXP-1Y-1000A(H)

DRAWING NO.: 9EDGRC-7.5-C06

TYPE: CUSTOMER DRAWING

SCALE: 1.5:1 SHEET 1/4

REV DO-6

SCALE: 1.5:1 SHEET 1/4